

EtherNet/IP Statement of Conformance

General Device Data	Conforms to EtherNet/IP Specification		Volume I – Release	<u>3.18</u>				
			Volume II – Release	<u>1.19</u>				
	Vendor Name		<u>Delta Computer Systems, Inc.</u>					
	Device Profile Name		<u>Generic Device (43)</u>					
	Product Catalog Number		<u>RMC75E</u>					
	Product Code		<u>2</u>					
Product Revision		<u>3.1</u>						
EtherNet/IP Physical Conformance Data	EtherNet/IP Performance Levels		Industrial	<input type="checkbox"/>	COTS	<input checked="" type="checkbox"/>		
	Connector Style		Open	<input checked="" type="checkbox"/>	Sealed	<input type="checkbox"/>		
		Copper	RJ-45	<input checked="" type="checkbox"/>	M12-4D	<input type="checkbox"/>		
			Fiber	SC <input type="checkbox"/>	ST <input type="checkbox"/>	MT-RJ <input type="checkbox"/>		
	LEDs Supported		Module	<input type="checkbox"/>	Combo Mod/Net	<input type="checkbox"/>		
	None		<input type="checkbox"/>	Network	<input checked="" type="checkbox"/>	I/O	<input type="checkbox"/>	
	IP Address Settings		BOOTP	<input checked="" type="checkbox"/>	DHCP	<input checked="" type="checkbox"/>	DNS	<input type="checkbox"/>
			Switches	<input type="checkbox"/>			S/W Set	<input checked="" type="checkbox"/>
			Other	<input type="checkbox"/>				
	Communication Settings	Rate	AutoNegotiate	<input checked="" type="checkbox"/>	Switches	<input type="checkbox"/>	S/W Set	<input checked="" type="checkbox"/>
		Duplex	AutoNegotiate	<input checked="" type="checkbox"/>	Switches	<input type="checkbox"/>	S/W Set	<input checked="" type="checkbox"/>
			Other	<input type="checkbox"/>				
	Communication Rates	M bits/sec	10	<input checked="" type="checkbox"/>	100	<input checked="" type="checkbox"/>	1000	<input type="checkbox"/>
		Duplex	Half	<input checked="" type="checkbox"/>			Full	<input checked="" type="checkbox"/>
	Transformer CMR (Min)		<u>42 dB @ 30 MHz (worst case)</u>					
Direct Connection To Ground		Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>			
EtherNet/IP Communication Data	Device Network Behavior		Originator	<input type="checkbox"/>	Target	<input checked="" type="checkbox"/>		
	Application Behavior		Listen Only	<input checked="" type="checkbox"/>	Exclusive Owner	<input checked="" type="checkbox"/>		
			Redundant Owner	<input type="checkbox"/>	Input Only	<input checked="" type="checkbox"/>		
	Class Type (Number)		Null (0)	<input type="checkbox"/>	Dup Detect (1)	<input checked="" type="checkbox"/>		
			Acknowledged (2)	<input type="checkbox"/>	Verified (3)	<input checked="" type="checkbox"/>		
			Non Blocking (4)	<input type="checkbox"/>	Non Blocking Fragment (5)	<input type="checkbox"/>	Multicast Fragmented (6)	<input type="checkbox"/>
	Trigger Type		Cyclic	<input checked="" type="checkbox"/>	COS	<input type="checkbox"/>	Application	<input type="checkbox"/>
	Forward Open Application Paths(s)		Config: Class <u>04</u> Inst. <u>04</u> Attr. <u>03</u> CP _____					
			Consumed: Class <u>04</u> Inst. <u>02</u> Attr. <u>03</u> CP _____					
	Compress Path <input checked="" type="checkbox"/>		Produced: Class <u>04</u> Inst. <u>01</u> Attr. <u>03</u> CP _____					
I/O Data		Consumed (O→T) Size	<u>502</u>	Fixed	<input checked="" type="checkbox"/>			
		Produced (T→O) Size	<u>502</u>	Fixed	<input checked="" type="checkbox"/>			
Real Time Transfer Formats								
O→T	Modeless	<input type="checkbox"/>	Zero Length	<input type="checkbox"/>	Heartbeat	<input checked="" type="checkbox"/>	32-Bit Header	<input checked="" type="checkbox"/>
	T→O	Modeless	<input checked="" type="checkbox"/>	Zero Length	<input type="checkbox"/>	Heartbeat	<input type="checkbox"/>	32-Bit Header
O→T Parameters	Priority	Low	<input type="checkbox"/>	High	<input type="checkbox"/>	Scheduled	<input checked="" type="checkbox"/>	
	Type	Null	<input type="checkbox"/>	Multicast	<input type="checkbox"/>	Point to Point	<input checked="" type="checkbox"/>	
T→O Parameters	Priority	Low	<input type="checkbox"/>	High	<input type="checkbox"/>	Scheduled	<input checked="" type="checkbox"/>	
	Type	Null	<input type="checkbox"/>	Multicast	<input checked="" type="checkbox"/>	Point to Point	<input checked="" type="checkbox"/>	
RPI Supported	RPI Tick	<u>1ms</u>	RPI Min	<u>2ms</u>	RPI Max	<u>10000ms</u>		
Optional Encapsulation Services					ListInterfaces	<input checked="" type="checkbox"/>		

EtherNet/IP Statement of Conformance

EtherNet/IP Object Implementation		Identity Object 0x01					
		Object Class	ID	Description	Get	Set	Value Limits
<input checked="" type="checkbox"/> Open <input type="checkbox"/> Vendor Specific	Attributes		1	Revision	<input type="checkbox"/>	<input type="checkbox"/>	_____
			2	Max Instance	<input type="checkbox"/>	<input type="checkbox"/>	_____
	<input checked="" type="checkbox"/> None Supported		3	Number of Instances	<input type="checkbox"/>	<input type="checkbox"/>	_____
Device Profile Requirement		EtherNet/IP Services			Parameter Options		
<input checked="" type="checkbox"/> Required <input type="checkbox"/> Optional <input type="checkbox"/> Not Specified	Services		<input type="checkbox"/>	Get_Attribute_Single	_____		
	<input checked="" type="checkbox"/> None Supported		<input type="checkbox"/>	Reset	_____		
			<input type="checkbox"/>	Get_Attributes_All	_____		
			<input type="checkbox"/>	Find_Next_Object_Instance	_____		
		Object Instance	ID	Description	Get	Set	Value Limits
	Attributes		1	Vendor ID	<input checked="" type="checkbox"/>	<input type="checkbox"/>	590
			2	Device Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	43
			3	Product Code	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2
			4	Revision	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3.1
			5	Status	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
			6	Serial Number	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
			7	Product Name	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RMC75E
			8	State	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
			9	Configuration Consistency Value	<input type="checkbox"/>	<input type="checkbox"/>	_____
			10	Heartbeat Interval	<input type="checkbox"/>	<input type="checkbox"/>	_____
		EtherNet/IP Services			Parameter Options		
	Services		<input checked="" type="checkbox"/>	Get_Attribute_Single	_____		
			<input type="checkbox"/>	Set_Attribute_Single	_____		
			<input checked="" type="checkbox"/>	Reset	Reset types 0 and 1		
			<input checked="" type="checkbox"/>	Get_Attributes_All	_____		
Vendor Specific Additions		If yes, fill out the Vendor Specific Additions form (Form 9)		Yes	<input type="checkbox"/>		
				No	<input checked="" type="checkbox"/>		

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service

EtherNet/IP Statement of Conformance

EtherNet/IP Object Implementation	Message Router Object 0x02					
Object Implementation	Object Class	ID	Description	Get	Set	Value Limits
<input checked="" type="checkbox"/> Open	Attributes	1	Revision	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> Vendor Specific		2	Max Instance	<input type="checkbox"/>	<input type="checkbox"/>	_____
	<input checked="" type="checkbox"/> None Supported	3	Number of Instances	<input type="checkbox"/>	<input type="checkbox"/>	_____
Device Profile Requirement			<u>EtherNet/IP Services</u>	<u>Parameter Options</u>		
<input checked="" type="checkbox"/> Required	Services	<input type="checkbox"/>	Get_Attribute_Single	_____		
<input type="checkbox"/> Optional	<input checked="" type="checkbox"/> None Supported	<input type="checkbox"/>	Get_Attributes_All	_____		
<input type="checkbox"/> Not Specified			<u>Object Instance</u>	<u>Get</u>	<u>Set</u>	<u>Value Limits</u>
	Attributes	1	Object list	<input type="checkbox"/>	<input type="checkbox"/>	_____
		2	Maximum connections supported	<input type="checkbox"/>	<input type="checkbox"/>	_____
	<input checked="" type="checkbox"/> None Supported	3	Number of active connections	<input type="checkbox"/>	<input type="checkbox"/>	_____
		4	Active Connections	<input type="checkbox"/>	<input type="checkbox"/>	_____
			<u>EtherNet/IP Services</u>	<u>Parameter Options</u>		
	Services	<input type="checkbox"/>	Get_Attribute_Single	_____		
	<input checked="" type="checkbox"/> None Supported	<input type="checkbox"/>	Get_Attributes_All	_____		
	Vendor Specific Additions	If yes, fill out the Vendor Specific Additions form (Form 9)		Yes	<input type="checkbox"/>	
				No	<input checked="" type="checkbox"/>	

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service

EtherNet/IP Statement of Conformance

EtherNet/IP Object Implementation	Connection Manager Object 0x06					
Object Implementation	Object Class	ID	Description	Get	Set	Value Limits
<input checked="" type="checkbox"/> Open <input type="checkbox"/> Vendor Specific	Attributes	1	Revision	<input type="checkbox"/>	<input type="checkbox"/>	_____
		2	Max Instance	<input type="checkbox"/>	<input type="checkbox"/>	_____
	<input checked="" type="checkbox"/> None Supported	3	Number of Instances	<input type="checkbox"/>	<input type="checkbox"/>	_____
Device Profile Requirement <input checked="" type="checkbox"/> Required <input type="checkbox"/> Optional <input type="checkbox"/> Not Specified	<u>EtherNet/IP Services</u>			<u>Parameter Options</u>		
	Services	<input type="checkbox"/>	Get_Attribute_Single	_____		
	<input checked="" type="checkbox"/> None Supported	<input type="checkbox"/>	Get_Attributes_All	_____		
	Object Instance	ID	Description	Get	Set	Value Limits
	Attributes	1	Open Requests	<input type="checkbox"/>	<input type="checkbox"/>	_____
		2	Open Format Rejects	<input type="checkbox"/>	<input type="checkbox"/>	_____
	<input checked="" type="checkbox"/> None Supported	3	Open Resource Rejects	<input type="checkbox"/>	<input type="checkbox"/>	_____
		4	Open Other Rejects	<input type="checkbox"/>	<input type="checkbox"/>	_____
		5	Close Requests	<input type="checkbox"/>	<input type="checkbox"/>	_____
		6	Close Format Rejects	<input type="checkbox"/>	<input type="checkbox"/>	_____
		7	Close Other Rejects	<input type="checkbox"/>	<input type="checkbox"/>	_____
		8	Connection Timeouts	<input type="checkbox"/>	<input type="checkbox"/>	_____
		9	Connection Entry List	<input type="checkbox"/>	<input type="checkbox"/>	_____
		11	CPU Utilization	<input type="checkbox"/>	<input type="checkbox"/>	_____
		12	Max Buffer Size	<input type="checkbox"/>	<input type="checkbox"/>	_____
		13	Buffer Size Remaining	<input type="checkbox"/>	<input type="checkbox"/>	_____
		<u>EtherNet/IP Services</u>			<u>Parameter Options</u>	
Services	<input type="checkbox"/>	Get_Attribute_Single	_____			
<input type="checkbox"/> None Supported	<input type="checkbox"/>	Get_Attributes_All	_____			
	<input type="checkbox"/>	Set_Attribute_Single	_____			
	<input checked="" type="checkbox"/>	Forward_Close	_____			
	<input type="checkbox"/>	Unconnected_Send	_____			
	<input checked="" type="checkbox"/>	Forward_Open	_____			
	<input type="checkbox"/>	Get_Connection_Data	_____			
	<input type="checkbox"/>	Search_Connection_Data	_____			
	<input type="checkbox"/>	Large_Forward_Open	_____			
	<input type="checkbox"/>	Get_Connection_Owner	_____			
Vendor Specific Additions		If yes, fill out the Vendor Specific Additions form (Form 9)	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service

EtherNet/IP Statement of Conformance

EtherNet/IP Object Implementation		QoS Object 0x48					
		Object Class	ID	Description	Get	Set	Value Limits
<input checked="" type="checkbox"/> Open <input type="checkbox"/> Vendor Specific	Attributes		1	Revision	<input type="checkbox"/>	<input type="checkbox"/>	_____
			2	Max Instance	<input type="checkbox"/>	<input type="checkbox"/>	_____
	<input checked="" type="checkbox"/> None Supported		3	Number of Instances	<input type="checkbox"/>	<input type="checkbox"/>	_____
Device Profile Requirement		EtherNet/IP Services			Parameter Options		
<input type="checkbox"/> Required <input checked="" type="checkbox"/> Optional <input type="checkbox"/> Not Specified	Services		<input type="checkbox"/>	Get_Attribute_Single	_____		
	<input checked="" type="checkbox"/> None Supported		<input type="checkbox"/>	Get_Attributes_All	_____		
		Object Instance	ID	Description	Get	Set	Value Limits
	Attributes		1	802.1Q Tag Enable	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0-1
			2	DSCP PTP Event	<input type="checkbox"/>	<input type="checkbox"/>	_____
			3	DSCP PTP General	<input type="checkbox"/>	<input type="checkbox"/>	_____
			4	DSCP Urgent	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0-63
			5	DSCP Scheduled	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0-63
			6	DSCP High	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0-63
			7	DSCP Low	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0-63
			8	DSCP Explicit	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0-63
		EtherNet/IP Services			Parameter Options		
	Services		<input checked="" type="checkbox"/>	Get_Attribute_Single	_____		
			<input checked="" type="checkbox"/>	Set_Attribute_Single	_____		
Vendor Specific Additions		If yes, fill out the Vendor Specific Additions form (Form 9)			Yes	<input type="checkbox"/>	
					No	<input checked="" type="checkbox"/>	

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service

EtherNet/IP Statement of Conformance

EtherNet/IP Object Implementation	TCP/IP Interface Object 0xF5					
	Object Class	ID	Description	Get	Set	Value Limits
<input checked="" type="checkbox"/> Open <input type="checkbox"/> Vendor Specific	Attributes	1	Revision	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4
		2	Max Instance	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1
	<input type="checkbox"/> None Supported	3	Number of Instances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1
Device Profile Requirement <input checked="" type="checkbox"/> Required <input type="checkbox"/> Optional <input type="checkbox"/> Not Specified	EtherNet/IP Services			Parameter Options		
	Services	<input checked="" type="checkbox"/>	Get_Attribute_Single			
	<input type="checkbox"/> None Supported	<input checked="" type="checkbox"/>	Get_Attributes_All			
	Object Instance	ID	Description	Get	Set	Value Limits
	Attributes	1	Status	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
		2	Configuration Capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
		3	Configuration Control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
		4	Physical Link Object	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
		5	Interface Configuration	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
		6	Host Name	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
		7	Safety Network Number	<input type="checkbox"/>	<input type="checkbox"/>	
		8	TTL Value	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1-255
		9	Mcast Config	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
		10	SelectAcad	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	0-1
		11	LastConflictDetected	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
		12	EtherNet/IP QuickConnect	<input type="checkbox"/>	<input type="checkbox"/>	
		13	Encap. Inactivity Timeout	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	EtherNet/IP Services			Parameter Options		
	Services	<input checked="" type="checkbox"/>	Get_Attribute_Single			
		<input checked="" type="checkbox"/>	Get_Attributes_All			
		<input checked="" type="checkbox"/>	Set_Attribute_Single			
		<input checked="" type="checkbox"/>	Set_Attributes_All			
	Vendor Specific Additions	If yes, fill out the Vendor Specific Additions form (Form 9)		Yes	<input type="checkbox"/>	
				No	<input checked="" type="checkbox"/>	

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service

EtherNet/IP Statement of Conformance

EtherNet/IP Object Implementation	Ethernet Link Object 0xF6					
Object Implementation	Object Class	ID	Description	Get	Set	Value Limits
<input checked="" type="checkbox"/> Open <input type="checkbox"/> Vendor Specific	Attributes	1	Revision	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4 _____
		2	Max Instance	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1 _____
	<input type="checkbox"/> None Supported	3	Number of Instances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1 _____
Device Profile Requirement <input checked="" type="checkbox"/> Required <input type="checkbox"/> Optional <input type="checkbox"/> Not Specified	<u>EtherNet/IP Services</u>			<u>Parameter Options</u>		
	Services	<input checked="" type="checkbox"/>	Get_Attributes_All	_____		
	<input type="checkbox"/> None Supported	<input checked="" type="checkbox"/>	Get_Attribute_Single	_____		
	Object Instance	ID	Description	Get	Set	Value Limits
	Attributes	1	Interface Speed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
		2	Interface Flags	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
		3	Physical Address	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
		4	Interface Counters	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
		5	Media Counters	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
		6	Interface Control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	_____
		7	Interface Type	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Twisted-pair (2) _____
		8	Interface State	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Ready (1) _____
		9	Admin State	<input type="checkbox"/>	<input type="checkbox"/>	_____
		10	Interface Label	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Enet _____
		11	Interface Capabilities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	_____
		12	HC Interface Counters	<input type="checkbox"/>	<input type="checkbox"/>	_____
		13	HC Media Counters	<input type="checkbox"/>	<input type="checkbox"/>	_____
	<u>EtherNet/IP Services</u>			<u>Parameter Options</u>		
Services	<input checked="" type="checkbox"/>	Get_Attribute_Single	_____			
	<input checked="" type="checkbox"/>	Get_Attributes_All	_____			
	<input checked="" type="checkbox"/>	Set_Attribute_Single	_____			
	<input checked="" type="checkbox"/>	Get_and_Clear	_____			
Vendor Specific Additions		If yes, fill out the Vendor Specific Additions form (Form 9)		Yes	<input type="checkbox"/>	
				No	<input checked="" type="checkbox"/>	

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service

EtherNet/IP Statement of Conformance

EtherNet/IP Object Implementation		Assembly Object 0x04					
		Object Class	ID	Description	Get	Set	Value Limits
<input checked="" type="checkbox"/> Open <input type="checkbox"/> Vendor Specific	<input type="checkbox"/> None Supported	Attributes	1	Revision	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2 _____
			2	Max Instance	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4 _____
			3	Number of Instances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3 _____
Device Profile Requirement		EtherNet/IP Services			Parameter Options		
<input checked="" type="checkbox"/> Required <input type="checkbox"/> Optional <input type="checkbox"/> Not Specified	Services	<input checked="" type="checkbox"/>	Get_Attribute_Single	_____			
	<input type="checkbox"/> None Supported	<input type="checkbox"/>	Create	_____			
		<input type="checkbox"/>	Delete	_____			
Object Instance		Instance Type		Instance ID(s)			
<i>The Object Instance section must be completed for each instance type implemented</i>		Static Input	<input checked="" type="checkbox"/>	1 _____			
		Static Output	<input checked="" type="checkbox"/>	2 _____			
		Static I/O	<input type="checkbox"/>	_____			
		Static Configuration	<input checked="" type="checkbox"/>	4 _____			
		Dynamic	<input type="checkbox"/>	_____			
		ID	Description	Get	Set	Value Limits	
Attributes		1	Number of Members in List	<input type="checkbox"/>	<input type="checkbox"/>	_____	
		2	Member List	<input type="checkbox"/>	<input type="checkbox"/>	_____	
		3	Data	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	_____	
		4	Size	<input type="checkbox"/>	<input type="checkbox"/>	_____	
		EtherNet/IP Services			Parameter Options		
Services		<input checked="" type="checkbox"/>	Get_Attribute_Single	_____			
		<input checked="" type="checkbox"/>	Set_Attribute_Single	_____			
		<input type="checkbox"/>	Delete	_____			
		<input type="checkbox"/>	Insert_Member	_____			
		<input type="checkbox"/>	Remove_Member	_____			
		<input type="checkbox"/>	Get_Member	_____			
		<input type="checkbox"/>	Set_Member	_____			
Vendor Specific Additions		If yes, fill out the Vendor Specific Additions form (Form 9)			Yes	<input type="checkbox"/>	
					No	<input checked="" type="checkbox"/>	

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service

EtherNet/IP Statement of Conformance

Fill out one copy of this form for each additional object implemented by the product. Use additional pages as necessary.

EtherNet/IP Object Implementation	Object Name	PCCC Object	Object ID			0x67	
Device Profile Requirement <input type="checkbox"/> Required <input type="checkbox"/> Optional <input checked="" type="checkbox"/> Not Specified	Object Class	ID	Description	Get	Set	Value Limits	
	Attributes	—	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____	
	<input type="checkbox"/> Open	—	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____	
	<input checked="" type="checkbox"/> Vendor Specific	<input checked="" type="checkbox"/> None Supported	—	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
	—	—	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____	
—	—	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____		
			<u>EtherNet/IP Services</u>	<u>Parameter Options</u>			
Services	<input type="checkbox"/>	_____	_____	_____	_____	_____	
<input checked="" type="checkbox"/> None Supported	<input type="checkbox"/>	_____	_____	_____	_____	_____	
	<input type="checkbox"/>	_____	_____	_____	_____	_____	
	<input type="checkbox"/>	_____	_____	_____	_____	_____	
Object Instance			ID	Description	Get	Set	Value Limits
Attributes			1	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			2	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input checked="" type="checkbox"/> None Supported			3	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			4	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			5	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			6	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			7	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			8	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			9	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			10	_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
			<u>EtherNet/IP Services</u>			<u>Parameter Options</u>	
Services	<input checked="" type="checkbox"/>	<u>0x4B-Execute PCCC Service</u>	_____	_____	_____	_____	
<input type="checkbox"/> None Supported	<input checked="" type="checkbox"/>	<u>0x4C-Execute PCCC Service</u>	_____	_____	_____	_____	
	<input type="checkbox"/>	with source ID	_____	_____	_____	_____	
	<input checked="" type="checkbox"/>	<u>0x3F-Extended PCCC Svc.</u>	_____	_____	_____	_____	
	<input type="checkbox"/>	_____	_____	_____	_____	_____	
Vendor Specific Additions (for Open objects only)	If yes, fill out the Vendor Specific Additions form (Form 9)			Yes	<input type="checkbox"/>		
				No	<input checked="" type="checkbox"/>		

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service

EtherNet/IP Statement of Conformance

Fill out one copy of this form for each additional object implemented by the product. Use additional pages as necessary.

EtherNet/IP Object	Object Name	Data Table Object	Object ID	0xC0
Implementation	Object Class	ID	Description	Get Set Value Limits
	Attributes	—	_____	<input type="checkbox"/> <input type="checkbox"/> _____
<input type="checkbox"/> Open <input checked="" type="checkbox"/> Vendor Specific	<input checked="" type="checkbox"/> None Supported	—	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		—	_____	<input type="checkbox"/> <input type="checkbox"/> _____
Device Profile Requirement				
	<input type="checkbox"/> Required <input type="checkbox"/> Optional <input checked="" type="checkbox"/> Not Specified			
		<u>EtherNet/IP Services</u>		<u>Parameter Options</u>
	Services	<input type="checkbox"/>	_____	_____
	<input checked="" type="checkbox"/> None Supported	<input type="checkbox"/>	_____	_____
		<input type="checkbox"/>	_____	_____
		<input type="checkbox"/>	_____	_____
Object Instance		ID	Description	Get Set Value Limits
	Attributes	1	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		2	_____	<input type="checkbox"/> <input type="checkbox"/> _____
	<input checked="" type="checkbox"/> None Supported	3	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		4	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		5	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		6	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		7	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		8	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		9	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		10	_____	<input type="checkbox"/> <input type="checkbox"/> _____
		<u>EtherNet/IP Services</u>		<u>Parameter Options</u>
	Services	<input checked="" type="checkbox"/>	<u>0x4B-Read (LSB First)</u>	_____
	<input type="checkbox"/> None Supported	<input checked="" type="checkbox"/>	<u>0x4C-Write (LSB First)</u>	_____
		<input checked="" type="checkbox"/>	<u>0x4D-Read (MSB First)</u>	_____
		<input checked="" type="checkbox"/>	<u>0x4E-Write (MSB First)</u>	_____
		<input type="checkbox"/>	_____	_____
Vendor Specific Additions (for Open objects only)		If yes, fill out the Vendor Specific Additions form (Form 9)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>

Get to indicate that attribute value is returned by the use of Get_Attribute_Single service
 Set to indicate that attribute value can be set by the use of Set_Attribute_Single service